

AMENDMENTS TO THE CLAIMS

1. (Currently amended) In a computer network having two or more computing devices in communication, a method for managing data available for access on the network, the method comprising:

obtaining, at a host computing device included as part of the computer network and associated with a user, a request to identify data corresponding to a set of criteria;

obtaining an identification of data stored on the host computing device associated with the user request and matching the set of criteria;

automatically obtaining an identification of data stored on at least one computing device included in the computer network and matching the set of criteria;

merging the identification of data stored on the host computing device associated with the user request and the identification of data stored on at least one computing device included in the computer network; [[and]]

generating a result of the merging the identification of data stored on the host computing device associated with the user request and the identification of data stored on at least one computing device included in the computer network;

maintaining a record of a result of the merging the identification of data stored on the host computing device associated with the user request and the identification of data stored on at least one computing device included in the computer network;

obtaining, at the host computing device, a second user request to identify data corresponding to a set of criteria;

obtaining an identification of content stored on the host computing device associated with the user request and matching the set of criteria;

determining that the at least one other computing device is not available to receive a content query;

recalling the record of the result of the merging the identification of data stored on the host computing device associated with the user request and the identification of data stored on at least one computing device included in the computer network;

merging the identification of data stored on the host computing device associated with the user request and the record of the result of the merging the identification of data stored on the

host computing device associated with the user request and the identification of data stored on at least one computing device included in the computer network; and

generating a result of the merging the identification of data stored on the host computing device associated with the user request and the record of the result of the merging the identification of data stored on the host computing device associated with the user request and the identification of data stored on at least one computing device included in the computer network.

2-11. (Canceled)

12. (Currently amended) The method as recited in Claim [[11]]1, wherein generating a result of the merging the identification of data stored on the host computing device associated with the user request and the record of the result of the merging the identification of data stored on the host computing device associated with the user request and the identification of data stored on at least one computing device included in the computer network includes generating visual cues corresponding to the data not currently available to the user.

13-14. (Canceled)

15. (Currently amended) In a computer network having two or more computing devices in communication, a method for managing data available for access on the network, the method comprising:

obtaining a user request to identify content stored on the two or more computing devices, wherein one of the computing devices is a local computing device;

automatically querying the two or more computing devices within the computer network to identify the contents of local computing device storage locations associated with a unique user identifier;

merging the results of the queries; [[and]]

displaying the results of the merged query results;

maintaining a record of the result of the merging the results of the queries;

obtaining a second user request to identify content stored on the two or more computing devices;

obtaining an identification of content stored on a computing device associated with the unique user identifier and matching the unique user identifier;

determining that the at least one computing device is not available to receive a content query;

recalling the record of the result of the merging of the results of the queries;

merging the identification of data stored on the computing device associated with the unique user identifier and the record of the result of the merging of the results of the queries; and

generating a result of the merging the identification of data stored on the computing device associated with the unique user identifier and the record of the result of the merging of the results of the queries.

16-23. (Canceled)

24. (Currently amended) The method as recited in Claim [[23]]15, wherein displaying the results of the merge query results includes generating visual cues corresponding to the data not currently available to the user.

25-26. (Canceled)

27. (Currently amended) In a computer network having a computing device directly associated with a user and at least one remote computing device in communication, a method for managing data available for access on the network, the method comprising:

obtaining, by the computing device directly associated with a user, a request to identify data corresponding to a set of criteria;

obtaining, by the computing device directly associated with a user, an identification of locally stored content matching the set of criteria;

transmitting, by the computing device directly associated with a user, a request to the remote computing device for an identification of content matching the set of criteria;

obtaining, by the remote computing device, an identification of locally stored content matching the set of criteria;

transmitting, by the remote computing device, the identification of locally stored content matching the set of criteria;

merging, by the computing device directly associated with the user, content matching the set of criteria; [[and]]

generating, by the computing device directly associated with the user, a result of the merged content matching the set of criteria;

maintaining a record of the result of the merging of content matching the set of criteria;

obtaining, by the computing device directly associated with the user, a second request to identify data corresponding to a set of criteria;

obtaining, by the computing device directly associated with the user, an identification of locally stored content matching the set of criteria;

determining, by the computing device directly associated with the user, that the remote computing device is not available to receive a content query;

recalling, by the computing device directly associated with the user, the record of the result of the merging of content matching the set of criteria;

merging, by the computing device directly associated with the user, the identification of locally stored content matching the set of criteria and the record of the result of the merging of content matching the set of criteria; and

generating a result of the merging of the identification of locally stored content matching the set of criteria and the record of the result of the merging of content matching the set of criteria.

28-36. (Canceled)

37. (Currently amended) The method as recited in Claim [[36]]27, wherein generating a result of the merging of the identification of locally stored content matching the set of criteria and the record of the result of the merging of content matching the set of criteria includes generating visual cues corresponding to the data not currently available to the user.

38-39. (Canceled)